

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	0	(RLP adj (configuration parameter information)) near ((target adj (BS BTS (base station))) and (source adj (BS BTS (base station))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 06:08
L11	0	(RLP adj (configuration parameter information)) near (target adj (BS BTS (base station)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 06:08
L12	1	(RLP adj (configuration parameter information)) same (target adj (BS BTS (base station)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 06:10
L13	0	RLP near (target adj (BS BTS (base station)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 06:09
L14	10	RLP same (target adj (BS BTS (base station)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 09:41
L16	86	RLP same (hand\$1off handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 09:42
L18	61	L16 and @ad<"20020131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 09:42
S1	109	(370/331).ccls. and hand\$1off near control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:11
S2	23	(370/331).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:04
S3	14	(455/450).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12

S4	0	(455/207).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12
S5	0	(455/207).ccls. and hand\$1off adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12
S6	2	(455/437).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12
S7	12	(455/437-443).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:12
S8	12	(455/437-443).ccls. and hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:49
S9	11	hand\$1off same (SCH or (supplemental adj1 channel)) and (RLP or (radio adj1 link adj protocol)) same configur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:36
S10	2	hand\$1off same (SCH or (supplemental adj1 channel)) and (SCH or (supplemental adj1 channel)) same ((forward adj1 data adj1 rate) or (reverse adj1 data adj1 rate) or (channel adj1 burst adj1 duration) or (supplementatl adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:39
S11	8	hand\$1off same (SCH or (supplemental adj1 channel)) and ((forward adj1 data adj1 rate) or (reverse adj1 data adj1 rate) or (channel adj1 burst adj1 duration) or (supplementatl adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/22 13:52
S12	1	hand\$1off same (SCH or (supplemental adj1 channel)) and ((non\$retransmission or retransmission) adj1 mode) same RLP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:03

S13	1	hand\$1off and ((non\$retransmission or retransmission) adj1 mode) same RLP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:51
S14	4	hand\$1off and ((non\$retransmission or retransmission) adj1 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:03
S15	99	((non\$retransmission or retransmission) adj1 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:51
S16	98	hand\$1off and ((non\$retransmission or retransmission) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:13
S17	14	hand\$1off same (SCH or (supplemental adj1 channel)) and ((non\$retransmission or retransmission) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:04
S18	14	hand\$1off same (SCH or (supplemental adj1 channel)) and ((non\$retransmission or re\$transmission) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:04
S19	1	hand\$1off and ((non\$retransmission) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:13
S20	1	hand\$1off and ((non\$retransmi\$) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:13
S21	2	((non\$retransmi\$) same RLP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:13
S22	5	S8 and (RLP same frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:30

S23	0	"S23" and hand\$off same (start\$ near frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:31
S24	6	("370"/\$).ccls. and hand\$off same (start\$ near frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:32
S26	149	hand\$1off same (SCH or (supplemental adj1 channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 09:05
S27	2	("6167270").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/22 12:56
S28	21	(SCH or (supplemental adj1 channel)) and ((forward adj1 data adj1 rate) or (reverse adj1 data adj1 rate) or (channel adj1 burst adj1 duration) or (supplementatl adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:08
S29	0	F-RICH and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/22 13:58
S30	27	F-RICH	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/22 13:58
S31	47	(hand\$1off) and ((forward adj1 data adj1 rate) or (reverse adj1 data adj1 rate) or (channel adj1 burst adj1 duration) or (supplementatl adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:27
S32	0	hand\$1off and ((transfer\$ transmit\$) near configuration) same (source destination) near (BS BTS (base adj1 station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:38
S33	208	hand\$1off adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:39

S34	57	("370"/\$).ccls. and hand\$1off adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:40
S35	0	("370"/\$).ccls. and ((supplemental adj1 channel) SCH) adj hand\$1off adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:41
S36	0	((supplemental adj1 channel) SCH) adj hand\$1off adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:41
S37	0	((supplemental adj1 channel) SCH) same hand\$1off adj information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:41
S38	0	((supplemental adj1 channel) SCH) same hand\$1off adj (information configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:42
S39	2	((supplemental adj1 channel) SCH) same hand\$1off adj (information configuration parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:13
S40	3	hand\$1off adj (information configuration parameter) same (data adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:58
S41	453	hand\$1off same (data adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:59
S42	256	hand\$1off same (data adj rate) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 12:59
S43	4	hand\$1off near (data adj rate) and ("370"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:01

S44	11	hand\$1off near (data adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:01
S45	15	((supplemental adj1 channel) SCH) adj (information configuration parameter) same (BS BTS (base adj station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:19
S46	4	((supplemental adj1 channel) SCH) adj (information configuration parameter) same (BS BTS (base adj station)) and hand\$off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:25
S47	208	hand\$1off adj1 information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:26
S48	47	(hand\$1off) and ((forward adj1 data adj1 rate) or (reverse adj1 data adj1 rate) or (channel adj1 burst adj1 duration) or (supplemental adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:27
S49	453	(hand\$1off) same ((data adj1 rate) or (channel adj1 burst adj1 duration) or (supplemental adj1 channel adj1 radio))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:29
S50	256	S49 and ("370"/\$).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:28
S51	28	(hand\$1off) and ((supplemental adj1 channel SCH) adj ((data adj1 rate) or (burst adj1 duration)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:35
S52	1	((hand\$1off) adj (information parameter)) same ((supplemental adj1 channel SCH) adj (configuration parameter (data adj rate)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:54
S53	1	((hand\$1off) adj (information parameter)) same ((supplemental adj1 channel SCH) adj (configuration parameter (data adj rate) burst))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/23 13:55